



CESARE
QUARANTA

CESARE QUARANTA SRL
VIA LEGNANINO N°5 - CHIERI (TO)
WWW.CESAREQUARANTA.COM
MYA@CESAREQUARANTA.COM

ANTROPHOMETRIC MEASUREMENTS MYA 7.0

STYLED BY YOU, DESIGNED BY US

DATA SOURCE

All data were collected by
ESTETICA VENERE, an
experienced beauty center in
Venturina Campiglia Marittima -
ITALY (LI).



CLIENT 01

Age: 34 years

Sex: WOMAN

Weight: 56 kg

Device: MYA 7.0

N° treatments: 10



- + Presence of edematous and fibrous cellulite imperfection localized in the buttocks and thighs.

CLIENT 01
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



10 TREATMENTS

- Lipodren 1
- Lipodren 2
- Slim 1

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- Modest physical activity 2/3 times a week in the gym.
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 10 TREATMENTS

PRE-TREATMENT

HIPS: 98,5 cm

THIGH: 58 cm

10 TREATMENTS

HIPS: 95cm

THIGH: 56 cm

WEIGHT

56 KG

WEIGHT


54,5 KG

EVOLUTION CLIENT 01

PRE-TREATMENT




10 TREATMENTS



CLIENT 01 FINAL AESTHETIC RESULT

- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections.



CLIENT 02

Age: 42 years

Sex: WOMAN

Weight: 64 kg

Device: MYA 7.0

N° treatments: 15



- + Presence of edematous and fibrous cellulite imperfections;
- + tissue and muscle atony.

CLIENT 02 INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



15 TREATMENTS

- Lipodren 1
- Lipodren 2
- Slim 1
- Slim 2

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- Physical activity 3 times a week in the gym.
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 15 TREATMENTS

PRE-TREATMENT

HIPS: 101 cm

THIGH: 61 cm

15 TREATMENTS

HIPS: 98 cm

THIGH: 59 cm

WEIGHT

64 KG

WEIGHT

61 KG

EVOLUTION CLIENT 02

PRE-TREATMENT

15 TREATMENTS

PRE-TREATMENT

15 TREATMENTS



CLIENT 02

FINAL AESTHETIC RESULT

- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections;
- + remarkable tissue and muscle toning.



CLIENT 03

Age: 24 years

Sex: WOMAN

Weight: 62 kg

Device: MYA 7.0

N° treatments: 10



- + Presence of edematous and fibrous cellulite imperfections;
- + localized fat mass on buttocks, hips and thighs.

CLIENT 03
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



10 TREATMENTS

- Lipodren 1
- Lipodren 2
- Slim 1

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- Physical activity 2/3 times a week in the gym.
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 10 TREATMENTS

PRE-TREATMENT

HIPS: 102 cm

THIGH: 60 cm

10 TREATMENTS

HIPS: 98 cm

THIGH: 58 cm

WEIGHT

62 KG

WEIGHT

59,5 KG

EVOLUTION CLIENT 03

PRE-TREATMENT

10 TREATMENTS

PRE-TREATMENT

10 TREATMENTS



CLIENT 03 FINAL AESTHETIC RESULT

- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections;
- + reduction of localized fat mass on buttocks, hips and thighs.



CLIENT 04

Age: 20 years

Sex: WOMAN

Weight: 55 kg

Device: MYA 7.0

N° treatments: 10



- + Presence of edematous and fibrous cellulite imperfections on buttocks and thighs.

CLIENT 04
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



10 TREATMENTS

- Lipodren 1
- Lipodren 2
- Silhouette

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- Modest physical activity 2 times a week in the gym.
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 10 TREATMENTS

PRE-TREATMENT

HIPS: 96 cm

THIGH: 57 cm

10 TREATMENTS

HIPS: 93 cm

THIGH: 55 cm

WEIGHT

55 KG

WEIGHT

53 KG

EVOLUTION CLIENT 04

PRE-TREATMENT




10 TREATMENTS



CLIENT 04 FINAL AESTHETIC RESULT

- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections on the buttocks and thighs.



CLIENT 05

Age: 31 years

Sex: WOMAN

Weight: 63 kg

Device: MYA 7.0

N° treatments: 20



- + Fat mass localised on abdomen, thighs and buttocks;
- + Presence of edematous and fibrous cellulite imperfections.

CLIENT 05
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



10 TREATMENTS

- Lipodren 1
- Lipodren 2
- Slim 1

NB: the programs are always alternated to avoid the memory effect.

+ 10 TREATMENTS

- 3 Slim 1
- 1 Lipodren 2

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She followed a diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 20 TREATMENTS

PRE-TREATMENT

WAIST: 90 cm

ABDOMEN: 108 cm

THIGH: 70 cm

KNEE: 45 cm

20 TREATMENTS

WAIST: 86 cm

ABDOMEN: 99 cm

THIGH: 67,5 cm

KNEE: 43,5 cm

WEIGHT

63 KG

WEIGHT

59 KG

EVOLUTION CLIENT 05

PRE-TREATMENT

20 TREATMENTS



PRE-TREATMENT

20 TREATMENTS



EVOLUTION CLIENT 05

PRE-TREATMENT

20 TREATMENTS



CLIENT 05 FINAL AESTHETIC RESULT

- + Remarkable loss of cm;
- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections.



CLIENT 06

Age: 60 years

Sex: MAN

Weight: 82 kg

Device: MYA 7.0

N° treatments: 20



+ Fat mass localised on the abdomen.

CLIENT 06
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



15 TREATMENTS

- Slim 1 mostly
- Lipodren 1
- Lipodren 2

NB: the programs are always alternated to avoid the memory effect.

+ 5 TREATMENTS

- Slim 1 with pregelled electrodes

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 20 TREATMENTS

PRE-TREATMENT

ABDOMEN: 113 cm

20 TREATMENTS

ABDOMEN: 102 cm

WEIGHT

82 KG

WEIGHT

79 KG

EVOLUTION CLIENT 06

PRE-TREATMENT



20 TREATMENTS



CLIENT 06 FINAL AESTHETIC RESULT

- + Remarkable loss of cm in the abdominal area;
- + muscle and tissue toning of the abdominal area.



CLIENT 07

Age: 49 years

Sex: WOMAN

Weight: 82 kg

Device: MYA 7.0

N° treatments: 15



+ Fat mass localised on hips, back, thighs and buttocks.

CLIENT 07
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



15 TREATMENTS

- Slim 1 mostly
- Lipodren 1
- Lipodren 2

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She followed a diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 15 TREATMENTS

PRE-TREATMENT

WAIST: 91 cm

ABDOMEN: 106 cm

THIGH: 70 cm

15 TREATMENTS

WAIST: 84 cm

ABDOMEN: 98 cm

THIGH: 67 cm

WEIGHT

82 KG

WEIGHT

78,5 KG

EVOLUTION CLIENT 07

PRE-TREATMENT



15 TREATMENTS



PRE-TREATMENT



15 TREATMENTS



CLIENT 07 FINAL AESTHETIC RESULT

- + Noticeable reduction of fat mass on hips, back, thighs and buttocks;
- + Body shaping;
- + Muscle and tissue toning.



CLIENT 08

Age: 44 years

Sex: WOMAN

Weight: 69 kg

Device: MYA 7.0

N° treatments: 20



- + Fat mass localised on the abdomen, hips, buttocks and thighs.
- + Presence of edematous cellulite imperfections.

CLIENT 08
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



20 TREATMENTS

- Slim 1 mostly
- Silhouette
- Lipodren 1
- Lipodren 2

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She followed a diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 20 TREATMENTS

PRE-TREATMENT

WAIST: 85 cm

ABDOMEN: 93 cm

THIGH: 60,5 cm

20 TREATMENTS

WAIST: 78 cm

ABDOMEN: 84 cm

THIGH: 58 cm

WEIGHT

69 KG

WEIGHT

64 KG

EVOLUTION CLIENT 08

PRE-TREATMENT



20 TREATMENTS



PRE-TREATMENT



20 TREATMENTS



EVOLUTION CLIENT 08

PRE-TREATMENT



20 TREATMENTS



CLIENT 08 FINAL AESTHETIC RESULT

- + Noticeable reduction in fat mass on hips, abdomen, thighs and buttocks;
- + Excellent result with considerable reduction of cellulite imperfections;
- + Body shaping.



CLIENT 09

Age: 33 years

Sex: WOMAN

Weight: 63 kg

Device: MYA 7.0

N° treatments: 20



- + Fat mass localised on the abdomen, buttocks and thighs.
- + Presence of edematous and fibrous cellulite imperfections.

CLIENT 09
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



20 TREATMENTS

- Lipodren 1 (mostly)
- Lipodren 2 (mostly)

Alternated to:

- Slim 1
- Silhouette

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 20 TREATMENTS

PRE-TREATMENT

WAIST: 78 cm

ABDOMEN: 91 cm

THIGH: 70 cm

KNEE: 48 cm

20 TREATMENTS

WAIST: 74 cm

ABDOMEN: 85 cm

THIGH: 66 cm

KNEE: 45,5 cm

WEIGHT

63 KG

WEIGHT

61 KG

EVOLUTION CLIENT 09

PRE-TREATMENT

20 TREATMENTS

PRE-TREATMENT

20 TREATMENTS



CLIENT 09 FINAL AESTHETIC RESULT

- + Reduction in fat mass on abdomen, thighs and buttocks;
- + Excellent result with considerable reduction of the edematous and fibrous cellulite imperfections;
- + Body shaping.



CLIENT 10

Age: 28 years

Sex: WOMAN

Device: MYA 7.0

N° treatments: 10



- + Fat mass localised on the abdomen.
- + Soft presence of edematous cellulite imperfections on the legs.

CLIENT 10
INITIAL MORPHOLOGICAL FRAMEWORK

PROTOCOL AND PROGRAMS



10 TREATMENTS

- Slim 1 (mostly)
- Lipodren 1 (mostly)

NB: the programs are always alternated to avoid the memory effect.

COMBINED ACTIVITIES

- She did not have any physical activity;
- She did not follow any diet regimen.

ANTROPHOMETRIC MEASUREMENTS AFTER 10 TREATMENTS

PRE-TREATMENT

WAIST: 78 cm

ABDOMEN: 90 cm

THIGH: 58 cm

10 TREATMENTS

WAIST: 72 cm

ABDOMEN: 83 cm

THIGH: 56 cm

EVOLUTION CLIENT 10

PRE-TREATMENT



10 TREATMENTS



CLIENT 10 FINAL AESTHETIC RESULT

- + Noticeable reduction in fat mass on the abdomen;
- + Considerable reduction of the edematous and fibrous cellulite imperfections.





CESARE
QUARANTA



ISO 9001:2015
ISO 13485:2016

We are an Italian company that designs and manufactures electro-medical technologies.

The company enjoys two ISO :

- ▶ **ISO 9001:2015:** design, manufacture and service of electromedical device for dermatology and aesthetic medicine. Design, manufacture and service of electronic equipment for the aesthetic sector. Marketing and sale of cosmetic products.
- ▶ **ISO 13485:2016:** design, manufacture and service of electromedical device for dermatology and aesthetic medicine.

Each device is produced in our laboratories in Chieri (TO) with innovative tools and in accordance to the best reliability tests.

Are you interested
in MYA 7.0?

Come and visit us at our headquarters
in Chieri (To)!



C E S A R E
Q U A R A N T A